

Service Bulletin

Bulletin No. 2013-67R5 OEM No. 2013-64R5

Circulate to:

Sales Manager

Accounting

Service Manager

Technician

Parts Manager

Approved Bravo X Drives for Non-Mercury Diesel Engines

NOTICE

Revised July 2017. This bulletin supersedes the previous bulletin number 2013-67R4 April 2016.

Models Affected

Models Covered

Bravo Diesel Sterndrives and Transoms (Excluding XR series)

Scope

Worldwide

Situation

For the past several years, Mercury MerCruiser, and the former CMD organization, have approved Bravo sterndrive and transom sales to other worldwide non-Mercury diesel engine manufacturers. These sales, excluding the XR series, still continue. Mercury sterndrives and transoms sold to the list of engine manufacturers shown in this bulletin are provided with a specific limited warranty for pleasure applications only.

Mercury authorized dealers are responsible for delivering the terms of the limited warranty to the customer, and service support.

Status Key Definition

Status	Key
Recommended (preferred option)	YES •
Approved (acceptable option)	YES ■
Not approved (unacceptable option)	NO 🔺
Not available (product not offered)	N/A

The approved engine and drive applications for non-Mercury diesel engine manufacturers are shown in the following tables. Warranty information is described after the tables.

FNM

	ATMP 155 (1	163 HP at 4200 RPM)	
	HPE 200 (2	00 HP at 4000 RPM)	
	HPEP 225 (2	225 HP at 4200 RPM)	
Gear ratios	Bravo One X	Bravo Two X	Bravo Three X
1.36:1	YES •	N/A	YES •
1.50:1	YES ■	YES •	YES •
1.65:1	YES •	YES •	YES •

THE INFORMATION IN THIS DOCUMENT IS CONFIDENTIAL AND PROTECTED BY COPYRIGHT AND IS THE PROPERTY OF MERCURY MARINE.

	ATMP 155 (1	63 HP at 4200 RPM)	
	HPE 200 (20	00 HP at 4000 RPM)	
	HPEP 225 (2	25 HP at 4200 RPM)	
Gear ratios	Bravo One X	Bravo Two X	Bravo Three X
1.81:1	N/A	YES •	YES •
2.00:1	N/A	YES ■	YES ■
2.20:1	N/A	YES •	YES •
	HPEP 250 (2	50 HP at 4000 RPM)	
Gear ratios	Bravo One X	Bravo Two X	Bravo Three X
1.36:1	YES •	N/A	YES •
1.50:1	YES ■	YES •	YES •
1.65:1	NO 🔺	YES •	YES •
1.81:1	N/A	YES •	YES •
2.00:1	N/A	YES ■	YES ■
2.20:1	N/A	NO 🔺	NO 🔺

FPT (ex lveco SOFIM)

FPT 230 (230 HP at 4000 RPM)			
Gear ratios	Bravo One X	Bravo Two X	Bravo Three X
1.36:1	YES •	N/A	YES •
1.50:1	YES ■	YES •	YES ●
1.65:1	YES ■	YES •	YES ●
1.81:1	N/A	YES ■	YES ■
2.00:1	N/A	YES ■	YES ■
2.20:1	N/A	YES •	NO 🔺

HYUNDAI

	U125S (125	HP at 4000 RPM)	
	D150S (150	HP at 3200 RPM)	
	D170S (170	HP at 3800 RPM)	
	R200S (200	HP at 3800 RPM)	
Gear Ratios	Bravo One X	Bravo Two X	Bravo Three X
1.36:1	YES •	N/A	YES •
1.50:1	YES ■	YES •	YES •
1.65:1	YES •	YES •	YES •
1.81:1	N/A	YES •	YES •
2.00:1	N/A	YES ■	YES ■
2.20:1	N/A	YES •	YES •

THE INFORMATION IN THIS DOCUMENT IS CONFIDENTIAL AND PROTECTED BY COPYRIGHT AND IS THE PROPERTY OF MERCURY MARINE.

		HP at 3200 RPM)	
Gear Ratios	S250S (250 HP at 3800 RPM) Gear Ratios Bravo One X Bravo Two X Bravo Three X		
1.36:1	YES •	N/A	YES •
1.50:1	YES ■	YES •	YES •
1.65:1	NO 🔺	YES •	YES •
1.81:1	N/A	YES •	YES •
2.00:1	N/A	NO 🔺	YES
2.20:1	N/A	NO 🔺	NO 🔺

	S270 (270 HP at 3800 RPM)			
Gear Ratios	Bravo One X	Bravo Two X	Bravo Three X	
1.36:1	YES ●	N/A	YES •	
1.50:1	YES ■	YES •	YES •	
1.65:1	NO 🔺	YES •	YES •	
1.81:1	N/A	YES •	YES •	
2.00:1	N/A	NO 🔺	NO 🔺	
2.20:1	N/A	NO 🔺	NO 🔺	

LOMBARDINI

	LDW 194 JMT (160 HP at 4000 RPM)	
	LDW 245 JMT (200 HP at 4000 RPM)	
Gear Ratios	Bravo One X	Bravo Two X	Bravo Three X
1.36:1	YES ●	N/A	YES •
1.50:1	YES ■	YES •	YES •
1.65:1	YES ●	YES •	YES •
1.81:1	N/A	YES •	YES •
2.00:1	N/A	YES ■	YES
2.20:1	N/A	YES •	YES •

MARINE DIESEL

		HP at 3500 RPM)	
Gear Ratios	MD 250 (250 HP at 3600 RPM) Gear Ratios Bravo One X Bravo Two X Bravo Three X		
1.36:1	YES •	N/A	YES •
1.50:1	YES ■	YES •	YES •
1.65:1	YES ■	YES •	YES •
1.81:1	N/A	YES ■	YES ■
2.00:1	N/A	YES •	NO 🔺
2.20:1	N/A	NO 🔺	NO 🔺

THE INFORMATION IN THIS DOCUMENT IS CONFIDENTIAL AND PROTECTED BY COPYRIGHT AND IS THE PROPERTY OF MERCURY MARINE.

NANNI DIESEL

	-	5 HP at 3600 RPM) 175 HP at 3600 RPM)	
	•	200 HP at 3600 RPM)	
		5 HP at 3400 RPM)	
	•	0 HP at 3400 RPM)	
	•	0 HP at 3400 RPM)	
Gear ratios	Bravo One X	Bravo Two X	Bravo Three >
1.36:1	YES •	N/A	YES •
1.50:1	YES ■	YES •	YES •
1.65:1	YES ■	YES •	YES •
1.81:1	N/A	YES ■	YES
2.00:1	N/A	YES ■	YES •
2.20:1	N/A	YES •	NO 🔺
	Z6.300 (Toyota ba	se) (275 HP at 3600 RPM)	
Gear ratios	Bravo One X	Bravo Two X	Bravo Three >
1.36:1	YES •	N/A	YES •
1.50:1	YES ■	YES •	YES •
1.65:1	NO 🔺	YES •	YES •
1.81:1	N/A	YES •	YES •
2.00:1	N/A	YES ■	YES
2.20:1	N/A	NO 🔺	NO 🔺
	T4.230 (Toyota ba	se) (230 HP at 3600 RPM)	
Gear ratios	Bravo One X	Bravo Two X	Bravo Three >
1.36:1	YES •	N/A	YES •
1.50:1	YES ■	YES •	YES •
1.65:1	NO 🔺	YES •	YES •
1.81:1	N/A	YES •	YES •
2.00:1	N/A	NO 🔺	YES
2.20:1	N/A	NO 🔺	NO 🔺
	T4.270 (Toyota ba	se) (265 HP at 3600 RPM)	
Gear ratios	Bravo One X	Bravo Two X	Bravo Three >
1.36:1	YES •	N/A	YES •
1.50:1	YES ■	YES •	YES •
1.65:1	NO 🔺	YES •	YES •
1.81:1	N/A	NO 🔺	YES •
2.00:1	N/A	NO 🔺	NO 🔺
2.20:1	N/A	NO 🔺	NO 🔺

THE INFORMATION IN THIS DOCUMENT IS CONFIDENTIAL AND PROTECTED BY COPYRIGHT AND IS THE PROPERTY OF MERCURY MARINE.

Z4 (VM Motori Base)

	130 HI	P at 4000 RPM	
	150 HI	P at 4000 RPM	
	170 HI	P at 4000 RPM	
Gear ratios	Bravo One X	Bravo Two X	Bravo Three X
1.36:1	YES •	N/A	YES •
1.50:1	YES •	YES •	YES •
1.65:1	YES •	YES •	YES •
1.81:1	N/A	YES •	YES •
2.00:1	N/A	YES •	YES •
2.20:1	N/A	YES •	YES •

STEYR

		(144 HP at 3800 RPM) (163 HP at 4000 RPM)	
	MO 174 V40	(167 HP at 4000 RPM)	
		(212 HP at 4300 RPM)	
		(230 HP at 4200 RPM)	
	MO 256 H45	(250 HP at 4500 RPM)	
Gear ratios	Bravo One X	Bravo Two X	Bravo Three X
1.36:1	YES •	N/A	YES •
1.50:1	YES ■	YES •	YES •
1.65:1	YES •	YES •	YES ●
1.81:1	N/A	YES •	YES •
2.00:1	N/A	YES ■	YES ■
2.20:1	N/A	YES •	YES •

	MO 286 H43 (279 HP at 4300 RPM)				
Gear ratios	Bravo One X	Bravo Two X	Bravo Three X		
1.36:1	YES	N/A	YES ■		
1.50:1	YES •	YES	YES ■		
1.65:1	YES	YES	YES •		
1.81:1	N/A	YES •	YES •		
2.00:1	N/A	YES	NO 🔺		
2.20:1	N/A	NO 🔺	NO 🔺		
2.43:1	N/A	N/A	NO 🔺		

THE INFORMATION IN THIS DOCUMENT IS CONFIDENTIAL AND PROTECTED BY COPYRIGHT AND IS THE PROPERTY OF MERCURY MARINE.

	SE 156 E32 (147 HP at 3200 RPM)	
	SE 196 E40 (188 HP at 3500 RPM)	
Gear ratios	Bravo One X	Bravo Two X	Bravo Three X
1.36:1	YES ■	N/A	YES ■
1.50:1	YES •	YES ■	YES ■
1.65:1	YES ■	YES ■	YES ■
1.81:1	N/A	YES •	YES •
2.00:1	N/A	YES ■	YES ■
2.20:1	N/A	YES ■	YES
2.43:1	N/A	N/A	NO 🔺
	SE 236 E35 (228 HP at 4000 RPM)	
Gear ratios	Bravo One X	Bravo Two X	Bravo Three X
1.36:1	YES ■	N/A	YES ■
1.50:1	YES •	YES ■	YES ■
1.65:1	YES ■	YES ■	YES ■
1.81:1	N/A	YES •	YES •
2.00:1	N/A	YES ■	YES ■
2.20:1	N/A	YES ■	NO 🔺
2.43:1	N/A	N/A	NO 🔺
	SE 236 S36 (
Gear ratios	Bravo One X	Bravo Two X	Bravo Three X
1.36:1	YES ■	N/A	YES ■
1.50:1	YES •	YES ■	YES ■
1.65:1	NO 🔺	YES •	YES ■
1.81:1	YES ■	YES ■	YES •
2.00:1	YES ■	YES ■	NO 🔺
2.20:1	YES ■	YES ■	NO 🔺
2.43:1	N/A	N/A	NO 🔺
	SE 266 E40 (255 HP at 4000 RPM)	
Gear ratios	Bravo One X	Bravo Two X	Bravo Three X
1.36:1	YES ■	N/A	YES ■
1.50:1	YES •	YES ■	YES ■
1.65:1	NO A	YES •	YES ■
1.81:1	N/A	YES ■	YES •
2.00:1	N/A	YES ■	NO A
2.20:1	N/A	NO A	NO A
2.43:1	N/A	N/A	NO A

THE INFORMATION IN THIS DOCUMENT IS CONFIDENTIAL AND PROTECTED BY COPYRIGHT AND IS THE PROPERTY OF MERCURY MARINE.

	SE 266 S36 (255 HP at 3600 RPM)				
	SE 286 E40 (2	275 HP at 4000 RPM)			
Gear ratios	Bravo One X	Bravo Two X	Bravo Three X		
1.36:1	YES ■	YES	YES ■		
1.50:1	YES •	YES	YES ■		
1.65:1	NO 🔺	YES •	YES ■		
1.81:1	YES ■	YES	YES •		
2.00:1	YES ■	NO 🔺	NO 🔺		
2.20:1	YES ■	NO 🔺	NO 🔺		
2.43:1	N/A	N/A	NO 🔺		

VETUS

	VF4.140E (14	40 HP at 4000 RPM)	
	VF4.170E (1	70 HP at 4000 RPM)	
	VF5.220E (2	20 HP at 4200 RPM)	
	VF5.250 E (2	50 HP at 4200 RPM)	
Gear ratios	Bravo One X	Bravo Two X	Bravo Three X
1.36:1	YES •	N/A	YES •
1.50:1	YES ■	YES •	YES •
1.65:1	YES •	YES •	YES •
1.81:1	N/A	YES •	YES •
2.00:1	N/A	YES ■	YES ■
2.20:1	N/A	YES •	YES •

YANMAR

	6LPA-DTZP (260 HP at 3800 RPM) 6LPA-STZP (315 HP at 3800 RPM)					
Gear ratios						
1.36:1	YES •	N/A	YES •			
1.50:1	YES ■	YES •	YES •			
1.65:1	NO 🔺	YES •	YES •			
1.81:1	N/A	YES ■	YES ■			
2.00:1	N/A	YES •	NO 🔺			
2.20:1	N/A	NO 🔺	NO 🔺			

	4LHA-HTZP (160 HP at 3300 RPM)					
	4LHA-DTZP (200 HP at 3300 RPM)					
	4LHA-STZP	(240 HP at 3300 RPM)				
Gear ratios	Bravo One X	Bravo Two X	Bravo Three X			
1.36:1	YES •	N/A	YES •			
1.50:1	YES	YES •	YES •			
1.65:1	NO 🔺	YES •	YES •			
1.81:1	N/A	YES ■	YES •			
2.00:1	N/A	YES •	YES ■			
2.20:1	N/A	NO 🔺	NO 🔺			

THE INFORMATION IN THIS DOCUMENT IS CONFIDENTIAL AND PROTECTED BY COPYRIGHT AND IS THE PROPERTY OF MERCURY MARINE.


	4BY 150 (15	50 HP at 4000 RPM)	
	4BY 180 (18	30 HP at 4000 RPM)	
	6BY 220 (22	20 HP at 4000 RPM)	
	4BY2 150 (1	50 HP at 4000 RPM)	
	4BY2 180 (1	80 HP at 4000 RPM)	
	6BY2 220 (2	20 HP at 4000 RPM)	
Gear ratios	Bravo One X	Bravo Two X	Bravo Three X
1.36:1	YES •	N/A	YES •
1.50:1	YES ■	YES •	YES •
1.65:1	YES •	YES •	YES •
1.81:1	N/A	YES •	YES •
2.00:1	N/A	YES	YES ■
2.20:1	N/A	YES •	YES •

	6BY 260 (260 HP at 4000 RPM) 6BY2 260 (260 HP at 4000 RPM)					
Gear ratios	Gear ratios Bravo One X Bravo Two X Bravo Three X					
1.36:1	YES •	N/A	YES •			
1.50:1	YES ■	YES •	YES •			
1.65:1	NO 🔺	YES •	YES •			
1.81:1	N/A	YES •	YES •			
2.00:1	N/A	YES	YES			
2.20:1	N/A	NO 🔺	NO 🔺			

CUMMINS


QSB 230/6BT 5.9-M (230 HP at 3000 RPM)						
	QSB 6.7L (230 HP at 3000 RPM)					
Gear ratios	Gear ratios Bravo One X Bravo Two X Bravo Three X					
1.50:1	1.50:1 N/A YES • N/A					

Application Range: Up to 200 HP Diesel



THE INFORMATION IN THIS DOCUMENT IS CONFIDENTIAL AND PROTECTED BY COPYRIGHT AND IS THE PROPERTY OF MERCURY MARINE.

Application Range: Over 200 HP Diesel



Assumptions and Conditions

- Cruising speed must not exceed 90% of wide-open throttle (WOT) RPM.
- Must be operated at pleasure duty in accordance with EPA mode number E4 and E5 (equivalent to ICOMIA 28-83).
- Must be propped correctly to achieve the engine manufacturer's rated RPM at WOT when the vessel is at maximum load capacity.
- 1 knot = 1.15 mph
- All diesel applications must use Bravo X series sterndrives.
- Recommendations are based on certified gear ratios and available MerCruiser propeller combinations for approved Bravo drive sales and approved engine packages.
- Applicable for single and twin engine installations.
- Drive coupler selection is the responsibility of the boatbuilder.
- Torsional vibration input levels are the responsibility of the boatbuilder.
- Failure of the coupler or drive components from excessive torsional vibration may not be covered under warranty.
- · Vessel speed and horsepower must comply with the Application Range charts listed in this bulletin.

Customer Warranty Statement

Warranty coverage is not available until your product is registered with Mercury Marine. The consumer should have received the following warranty statement when they purchased the vessel.

Warranty Registration—United States and Canada

Outside United States and Canada, check with your local distributor.

 You may change your address on file with Mercury Marine at any time, including at the time of a warranty claim, by calling, mailing, or faxing your name, old address, new address, and engine serial number to Mercury Marine's warranty registration department. Your dealer can also process this change of information. Mercury Marine Attn: Warranty Registration Department W6250 Pioneer Road P.O. Box 1939 Fond du Lac, WI 54936-1939 920-929-5054 Fax +1 920 907 6663

For Mercury Marine's Privacy Policy, visit www.mercurymarine.com/privacy-policy/.

NOTE: Registration lists must be maintained by Mercury Marine and any dealer on marine products sold in the United States should a safety recall notification under the Federal Safety Act be required.

THE INFORMATION IN THIS DOCUMENT IS CONFIDENTIAL AND PROTECTED BY COPYRIGHT AND IS THE PROPERTY OF MERCURY MARINE.

2. To be eligible for warranty coverage, the product must be registered with Mercury Marine. At the time of sale, the dealer should complete the warranty registration and immediately submit it to Mercury Marine via MercNET, e-mail, or mail. Upon receipt of this warranty registration, Mercury Marine will record the registration.

Warranty coverage is not available until your product is registered with Mercury Marine.

Warranty Registration—Outside the United States and Canada

Warranty registration procedures may vary by region, check with your local distributor.

- 1. It is important that your selling dealer fills out the warranty registration card completely and mails it to the distributor or Marine Power Service Center responsible for administering the warranty registration and claim program for your area.
- 2. The warranty registration card identifies your name and address, product model and serial numbers, date of sale, type of use and the selling distributor's and dealer's code number, name, and address. The distributor or dealer also certifies that you are the original purchaser and user of the product.
- 3. A copy of the warranty registration card, designated as the purchaser's copy, must be given to you immediately after the card has been completely filled out by the selling distributor or dealer. This card represents your factory registration identification, and should be retained by you for future use when required. Should you ever require warranty service on this product, your dealer may ask you for the warranty registration card to verify date of purchase and to use the information on the card to prepare the warranty claim forms.
- 4. In some countries, the Marine Power Service Center will issue you a permanent (plastic) warranty registration card within 30 days after receiving the factory copy of the warranty registration card from your distributor or dealer. If you receive a plastic warranty registration card, you may discard the purchaser's copy that you received from the distributor or dealer when you purchased the product. Ask your distributor or dealer if this plastic card program applies to you.

IMPORTANT: Registration lists must be maintained by the factory and dealer in some countries by law. It is our desire to have ALL products registered at the factory should it ever be necessary to contact you. Make sure your Mercury Marine distributor or Mercury Marine authorized dealer fills out the warranty registration card immediately and sends the factory copy to the Marine Power International Service Center for your area.

High-Output Recreational Use Limited Warranty for Approved Bravo Drives for Non-Mercury Diesel Engines

WHAT IS COVERED: Mercury Marine warrants each new drive package (Product) to be free of defects in material and workmanship during the period described following.

DURATION OF COVERAGE: Mercury Marine provides one (1) year warranty on loose drives to U.S. customers. For products purchased outside of the U.S., refer to the warranty charts listed in this bulletin or contact the Marine Power Service Center near you. **Mercury Marine does not provide corrosion warranty for loose drives.** Coverage begins on the date the product is first sold to a recreational use retail purchaser or the date on which the product is first put into service, whichever occurs first. This Limited Warranty provides specific coverage for pleasure (noncommercial) applications. **Commercial use of a product that is registered as pleasure use voids the warranty.** Commercial use includes any work-related or employment-related use of the product, or any use of the product which generates income during any part of the warranty period, even if the product is only occasionally used for such purposes. The repair or replacement of parts, or the performance of service under this warranty does not extend the term of this warranty beyond its original expiration date. Unexpired warranty coverage can be transferred from one recreational use customer to a subsequent recreational use customer upon proper registration of the product.

HIGH-OUTPUT RATING: High-output rating applies to variable load applications where full power is limited to one (1) hour out of every eight (8) hours of operation. Reduced power operation (the seven hours out of eight hours in which the engine is not operated at full power) must be at or below cruise speed. Cruise speed is dependent on the engine's maximum engine rated speed (RPM): cruise speed is defined as 90% of the engine's maximum rated speed.

CONDITIONS THAT MUST BE MET TO OBTAIN WARRANTY COVERAGE: Warranty coverage is available only after the Mercury Marine specified predelivery inspection process is completed and documented. Warranty coverage becomes available upon proper registration of the product by the authorized dealer. Inaccurate warranty registration information regarding recreational use, or subsequent change of use from recreational to commercial voids the warranty at the sole discretion of Mercury Marine. Routine maintenance outlined in the Operation, Maintenance, and Warranty Manual must be timely performed in order to obtain warranty coverage. Mercury Marine reserves the right to make any warranty coverage contingent upon proof of proper maintenance.

THE INFORMATION IN THIS DOCUMENT IS CONFIDENTIAL AND PROTECTED BY COPYRIGHT AND IS THE PROPERTY OF MERCURY MARINE.

WHAT MERCURY WILL DO: Mercury Marine's sole and exclusive obligation under this warranty is limited to, at our option, repairing a defective part, replacing such part or parts with new or Mercury Marine certified remanufactured parts, or refunding the purchase price of the Mercury Marine product. Mercury Marine reserves the right to improve or modify products from time to time without assuming an obligation to modify products previously manufactured.

HOW TO OBTAIN WARRANTY COVERAGE: Warranty claims must be made through a Mercury Marine authorized repair facility. The customer must provide Mercury Marine with a reasonable opportunity to repair and reasonable access to the product for warranty service. The purchaser shall not, unless requested by Mercury Marine, ship the product or parts of the product directly to Mercury Marine.

TERMINATION OF COVERAGE: Warranty coverage may be terminated for used product obtained in any of the following ways:

- Repossession from a retail customer
- Purchased at an auction
- Purchased from a salvage yard
- Purchased from an insurance company that obtained the product as a result of an insurance claim
- Inaccurate warranty registration information

WHAT IS NOT COVERED: This limited warranty does not cover the following:

- Routine maintenance items
- Adjustments
- Normal wear and tear
- Damage caused by abuse
- Abnormal use
- Use of a propeller or gear ratio that does not allow the engine to run in its recommended RPM range (refer to the engine manufacturer's operation manual)
- Operation of the product in a manner inconsistent with the high-output rating recommended operation
- Neglect
- Accident
- Submersion
- Improper installation (proper installation specifications and techniques are set forth in the installation instructions for the product)
- Improper service
- Use of an accessory or part that was not manufactured or sold by Mercury Marine and that damages the Mercury product
- · Operation with oils or lubricants that are not suitable for use with the product
- Alteration or removal of parts
- Faded paint
- Operating the boat with the drives overtrimmed
- · Torsional vibration induced failures to engine coupler or sterndrive components
- Vessels operating outside of the recommended application range

Use of the product for racing or other competitive activity, or operating with a racing-type lower unit at any point, even by a previous owner of the product, voids the warranty. Expenses related to haul-out, launch, towing, storage, telephone, rental, inconvenience, slip fees, insurance coverage, loan payments, loss of time, loss of income, or any other type of incidental or consequential damages are not covered by this warranty. Also, expenses associated with the removal or replacement of boat partitions or other material in order to gain access to the product are not covered by this warranty. No individual or entity, including Mercury Marine authorized dealers, has been given authority by Mercury Marine to make any affirmation, representation, or warranty regarding the product, other than those contained in this limited warranty. If such affirmation, representation, or warranty is made, it shall not be enforceable against Mercury Marine.

THE INFORMATION IN THIS DOCUMENT IS CONFIDENTIAL AND PROTECTED BY COPYRIGHT AND IS THE PROPERTY OF MERCURY MARINE.

DISCLAIMERS AND LIMITATIONS

THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE EXPRESSLY DISCLAIMED. TO THE EXTENT THAT THEY CANNOT BE DISCLAIMED, THE IMPLIED WARRANTIES ARE LIMITED IN DURATION TO THE LIFE OF THE EXPRESS WARRANTY. INCIDENTAL AND CONSEQUENTIAL DAMAGES ARE EXCLUDED FROM COVERAGE UNDER THIS WARRANTY. SOME STATES/COUNTRIES DO NOT ALLOW FOR THE DISCLAIMERS, LIMITATIONS AND EXCLUSIONS IDENTIFIED ABOVE. AS A RESULT, THEY MAY NOT APPLY TO YOU. THIS WARRANTY GIVES YOU SPECIFIC LEGAL RIGHTS, AND YOU MAY ALSO HAVE OTHER LEGAL RIGHTS WHICH VARY FROM STATE TO STATE AND COUNTRY TO COUNTRY.

Transfer of Warranty

United States and Canada

The limited warranty is transferable to a subsequent purchaser, but only for the remainder of the unused portion of the limited warranty. The limited warranty cannot be transferred on products used for commercial applications.

To transfer the warranty to the subsequent owner, mail or fax a copy of the bill of sale or purchase agreement, new owner's name, address, and engine serial number to Mercury Marine's warranty registration department. In the United States and Canada, mail to:

Mercury Marine Attn: Warranty Registration Department W6250 Pioneer Road P.O. Box 1939 Fond du Lac, WI 54936-1939 920-929-5054 Fax +1 920 907 6663

Upon processing the transfer of warranty, Mercury Marine will record the new owner's information.

There is no charge for this service.

Outside the United States and Canada

For products purchased outside the United States and Canada, contact the distributor in your country or the Marine Power Service Center closest to you.

Europe and the Confederation of Independent States (CIS) Warranty Charts— Diesel Sterndrives

Product	Standard Limited Warranty	Standard Limited Corrosion Warranty	Commercial Application
Mercury Diesel Sterndrive	2 years	None	No warranty coverage provided by Mercury Marine

Outside Europe and CIS

For products purchased outside of Europe and CIS regions, contact the distributor in your country, or the Marine Power Service Center near you.

Middle-East and Africa (excluding South Africa) Warranty Charts—Diesel Sterndrives

Product	Standard Limited Warranty	Standard Limited Corrosion Warranty	Commercial Application
Mercury Diesel Sterndrive	1 year	None	No warranty coverage provided by Mercury Marine

THE INFORMATION IN THIS DOCUMENT IS CONFIDENTIAL AND PROTECTED BY COPYRIGHT AND IS THE PROPERTY OF MERCURY MARINE.

Outside Middle-East and Africa

For products purchased outside of Middle-East and Africa regions, contact the distributor in your country, or the Marine Power Service Center near you.

South Africa Warranty Charts—Diesel Sterndrives

Product	Standard Limited Warranty	Standard Limited Corrosion Warranty	Commercial Application
Mercury Diesel Sterndrive	2 years	None	No warranty coverage provided by Mercury Marine

Outside South Africa

For products purchased outside of South Africa, contact the distributor in your country, or the Marine Power Service Center near you.

THE INFORMATION IN THIS DOCUMENT IS CONFIDENTIAL AND PROTECTED BY COPYRIGHT AND IS THE PROPERTY OF MERCURY MARINE.